



Swing Barrier (GA-S-BB600)

Description : Bridge Type Swing Barrier
Model No : S-BB600

- Barriers made from stainless steel, acrylic glass, etc; Mechanical Anti-Pinch structure enable motor to stop working automatically in given time if there is something on the way during reset, and reset again after default time delay
- Human base model indication function, real time displaying, improve the passing rate and convenient maintain
- Anti pinch function, barriers auto open when power shut, insure user safety.
- Break-in ,tail ,over-pass and reverse alert function in order to keep orderliness and effective manage
- Super combination capacity, adjustable model on site
- Barriers move speed auto adjust with card reader, problem self-recovery, error calls function which could convenient users and operators
- Standard input/output port, meanwhile leaving a port space for installing RS485 communication, connect and manage the integrated systems through the remote PC.
- Turned up-coverage is water-proof and easy maintain .
- Open direction adjustable even though power off

Technical Specifications

- Outside Housing Material : 304 stainless steel
- Internal Structure : Steel frame structure
- Open Angle : 90 degree C
- Power voltage : AC220 ± 10%, 50Hz
- Drive Motor : DC motor 24V
- Open direction : Single & Double (Optional)
- Gate opening/Closing : 1 ~ 2 second
- Working Current : ≤ 2000mA
- IP Degree : IP55
- Installation Place :Outdoor & Indoor
- Width of passage :1200 MM
- Pass speed : 30 ~ 40 Person / Minutes
- Operation condition : -10oC ~ 60oC

Key Features

- Cabinet & Internal Structure is in 304 SS grade.
- Length of Swing Arm 600mm
- Entering passing time in power 3 second
- Automatic resetting time after troubling 10 seconds
- Open & closing time 1 to 2 second
- Passing Speed 30-40 Person/Min.
- Transmission Angle of swing arm 90 degree
- Swing Direction (Single way/ Double way)optional
- Power Supply Ac220±10%
- Working Temp (-10°C to +60°C)

Suite No-09, H-15, Ground Floor Sector-63
Noida, Uttar Pradesh - 201301
0120 - 4332193, www.golfautomation.co.in
sales@golfautomation.co.in